



























capacity in ml	0.5	4	5	6	15	1.1 – 1.4	2.6 – 3.4	2.7 – 3	4.5 – 5	4.9	7.5 – 8.5	9 – 10	10
Ø x L in mm	10.7 x 36	10 x 88	12 x 75	12 x 82	17 x 100	8 x 66	13 x 65	11 x 66	11 x 92	13 x 90	15 x 92	16 x 92	15 x 102
Cat. No.	Pediatric	-	0553 ¹⁾	0501 ¹⁾	0518 ¹⁾	blood collection/urine tubes							
													
rotor incl.													
Cat. No.	1063	6305	1054-A	-	1054-A	-							
boring Ø x L in mm	11 x 35	11.5 x 67.5	13.5 x 60	17.7 x 8	13.5 x 60	17.7 x 88							
tubes per rotor	8												
max. RCF ¹⁾	2,214	2,817	2,697	3,461	2,697	3,461							
	3,935	5,009	4,794	6,153	4,794	6,153							
radius in mm	55	70	67	86	67	86							
run-up in sec	26												
run-down in sec, braked	37												

capacity in ml	1.6 – 5	4 – 7	8	8.5 – 10	12	15
Ø x L in mm	13 x 75	13 x 100	16 x 125	16 x 100	17 x 10	217 x 120
Cat. No.	blood collection/urine tubes					0509
						
rotor incl.						
Cat. No.	1054-A	1058	-			
boring Ø x L in mm	13.5 x 60	13.5 x 79	17.7 x 88			
tubes per rotor	8	8	4	8	4	4
max. RCF ¹⁾	2,697	3,461				
radius in mm	67	86				
run-up in sec	26					
run-down in sec, braked	37					

¹ Please note that the RCF values indicated refer only to rotor performance. The max. permissible RCF of tubes used should be verified with the individual manufacturers. The max. RCF for glass tubes annotated with footnote 1) is 4000.