iFuge D06

Clinical centrifuge



features

- Brushless DC motor for maintenance free long life
- Microprocessor Controlled Centrifuge with large digital display
- Choice of 2 rotors :

 6 x 15ml (Autoclavable SSholders)

 8 x 15ml
- Precise RPM settingfrom 500 to 6500 RP with least count of 100 RPM
- Automatic imbalance detection for safe operation
- Lid lock safety Lid releases (automatically) after run completion
- ▼ Timer setting 1 to 30 minutes & infinite mode
- Smart air flow design ensures quiet operation and low temperature rise
- One switch change over from RPM to RCF



overview

The essential centrifuge for blood processing in clinics, hospitals and other diagnostic & research labs.

The iFuge D06 is a microprocessor controlled centrifuge with large digital display. With a choice of 2 fixed Angle Rotors for 6 x 15mL or 8 x 15mL tubes. Precise RPM setting from 500 to 6500 RPM with a least count of 100 RPM.

techspecs

Weight 4 kg

Fixed Angle Rotor
6 x 15ml (Autoclavable¹) - 3684 g
Fixed Angle Rotor
8 x 15ml (Autoclavable¹) - 3873 g
Speed setting
500 to 6500 rpm
Lid Lock Safety
Yes
Noise Level
<60dB
Imbalance Detection
Yes
Dimensions (W X D X H)
260 x 244 x 205 mm

1) An autoclave is a pressure chamber used to carry out industrial processes requiring elevated temperature and pressure different from ambient air pressure

